U.S. Application No. 10/735,209 Attorney Docket No. Q78829

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

1-25. (cancelled)

26. (currently amended) An optical film comprising:

a transparent film having an average in-plane retardation not larger than 30 nm, wherein the transparent film has a thickness of 300µm or less;

an adhesive layer provided on one surface of said transparent film, said adhesive layer having a refractive index different by 0.12 or less from a refractive index of a layer of said one surface of said transparent film; and

a repetitive prismatic structure provided on the other surface of said transparent film, said repetitive prismatic structure having optical path changing slopes aligned in a substantially constant direction at an inclination angle in a range of from 35 to 48 degrees with respect to a plane of said transparent film.

27. (original) An optical film according to claim 26.

wherein said optical path changing slopes are constituted by at least two kinds of slopes in which one kind of slopes aligned in a substantially constant direction serve as a reference

U.S. Application No. 10/735,209

Attorney Docket No. Q78829

while the other kind of slopes are aligned substantially in a direction which is opposite to said

one kind of slopes; and

wherein said adhesive layer is covered with a strip sheet.

28. (original) An optical film according to claim 26, wherein said transparent film has

an average thicknesswise retardation of not larger than 50 nm.

29. (original) An optical film according to claim 26, wherein said transparent film has

an average in-plane retardation of not larger than 20 nm and

an average thicknesswise retardation of not larger than 30 nm.

30. (original) An optical film according to claim 26, wherein said inclination angle of

each of said optical path changing slopes with respect to said film plane is in a range of from 38

to 45 degrees.

31. (original) An optical film according to claim 26, wherein said optical path changing

slopes are formed based on a structure of grooves each shaped substantially like an isosceles

triangle or any other triangle in section.

U.S. Application No. 10/735,209

Attorney Docket No. Q78829

32. (original) An optical film according to claim 26, wherein said optical path changing

slopes are formed based on a structure of grooves or protrusions each shaped substantially like a

tetragon or a pentagon in section.

33. (previously presented): An optical film according to claim 26, wherein a projected

area, onto said film plane, of flat surfaces each having an inclination angle of not larger than 5

degrees with respect to said film plane is not smaller than 10 times as large as a projected area,

onto said film plane, of said optical path changing slopes.

34. (previously presented): An optical film according to claim 26, wherein said

prismatic structure includes

optical path changing slopes each having an inclination angle in a range of from 38 to 45

degrees with respect to said film plane, and

flat surfaces each having an inclination angle of not larger than 5 degrees with respect to

said film plane;

wherein a projected width of each of said flat surfaces onto said film plane is not smaller

than 10 times as large as a projected width of each of said optical path changing slopes onto said

film plane; and

wherein said prismatic structure is formed into continuous grooves, each of said

continuous grooves being shaped substantially like a triangle in section, and each of said

continuous grooves being extended from one end of said film to the other end thereof.

4

U.S. Application No. 10/735,209 Attorney Docket No. Q78829

35. (previously presented): An optical film according to claim 26,

wherein said prismatic structure having optical path changing slopes is formed into discontinuous grooves each shaped substantially like a polygon in cross-section;

wherein a length of each of said discontinuous grooves is not smaller than five times as large as a depth of each of said discontinuous grooves;

wherein said optical path changing slopes are formed in a direction of the length of said grooves at an inclination angle in a range of from 38 to 45 degrees with respect to said film plane; and

wherein a projected area of said discontinuous grooves onto an area of said film plane is not larger than 10%.

- 36. (original) An optical film according to claim 26, wherein a reflection layer is disposed closely on a surface of said film on which said prismatic structure having said optical path changing slopes is formed.
- 37. (original) An optical film according to claim 26, wherein ridgelines of said optical path changing slopes are parallel to or inclined within an angle range of ±30 degrees with respect to one side of said transparent film.

U.S. Application No. 10/735,209 Attorney Docket No. Q78829

38. (original) An optical film according to claim 26, wherein said adhesive layer is of a

light diffusion type.

39. (previously presented): An optical film according to claim 26, further comprising, in

addition to said optical path changing slopes, steep slopes, each having an inclination angle of

not smaller than 35 degrees with respect to said film plane;

wherein a projected area, onto said film plane, of flat surfaces, each having an inclination

angle of 5 degrees or less with respect to said film plane, is greater than or equal to 10 times as

large as a projected area, onto said film plane, of said steep slopes, each having an inclination

angle of not smaller than 35 degrees with respect to said film plane.